

Testimony on Pennsylvania's Proposed Mercury Reduction Rule: Figures

6 June 2006

Gail Charnley, PhD

 **HealthRisk Strategies**

Washington, D.C.

www.healthriskstrategies.com

Figure 1
Blood mercury
level comparison




Figure 2
Hair mercury level
comparison





Figure 3
Contaminant intakes in the Faroe and Seychelle Islands



Source: Modified from Dourson et al. (2001) Neurotoxicology 22:677

Figure 4
Amount of fish pregnant women can eat and stay below the EPA methylmercury limit




Figure 5
Trends in largemouth bass methylmercury
concentrations at 12 Florida locations, 1988-2000

Location\Age Class	0	1	2	3	4	5	6	7	8	9
Northern Florida										
Fowlers Bluff		0	0	-	0	0	-	0	0	
Central Florida										
Lake Tohopekaliga		0	-	0	-	0	0			0
East Lake Tohopekaliga		-	-	-	-	-	-	0		
Everglades										
Miami Canal and L-67A		-	-	-	-	-	0	-		
L-35B Canal		0	-	-	-	-	0			
Indian Camp Creek-Rogers		0	0		0	0				
Marsh-15	-	-	0	0	0					
Marsh-GH	0	-	0	-						
Marsh-OM		-	-							
Marsh-U3	+	+	+	0	0					
Big Lostmans Creek	0	0	0	0	0					
North Prong	0	-	0	-	-	0				

Source: Florida (2003)